

### TABLE ADHESIVE

It is waterbased table adhesive.

#### Highlights

- ▶ It has improved drying properties which are peeling, adhesion and cutting.
- ▶ It is used for gluing textile materials to print tables.
- ▶ It is economical than sprays.
- ▶ It provides excellent adhesion even if high application speed.

#### Printing Tips

- ▶ It designed to strength for pressure of low noise that is emulsion polymer for ready-to-use..
  - ▶ It sprays to application frames with special air spray apparatus.
- It has low water strength therefore Table Adhesive can be used with warehouse labels that should be designed as hard and/or plastise (made from PVS, PE and PP film)

#### Precautions

- ▶ Before usage, please stir the product well.
- ▶ Filtration should be advised with low power pump (>50 $\mu$ )
- ▶ It is packed in 30 kg plastic cans.
- ▶ The technical application and information that have been given above, are designed only as using instructions. Should not be considered as a warranty for any other use. If any further help or assistance is required, our technical department is ready for help.
- ▶ In case of emergency, Safety Data Sheet of this product should be ready for help at the working area.
- ▶ The warnings available on safety data sheets have been written for the purpose of providing comprehensive information on the products & in case of any nonconforming usage can not be held responsible for any direct and/or indirect loss or damage of the manufacturer/distributor.
- ▶ Email: [info@inknovators.com](mailto:info@inknovators.com)

#### Physical and Chemical Properties

Appearance: Milky, Liquid

Viscosity: max. 600 mPas

Density: 1,05 g/cm<sup>3</sup>

pH: 7.0-8.0

Boiling Point: >212°F

Solid content % : 60±1

#### Additives

Do not use any additives that are not advised

#### Shipping & Storage

41°F - 86°F (5°C - 30°C)

#### Health & Safety

Please see: Safety Data Sheet